



## OPTIONS

### Construction:

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

### Seat and backrest:

- soft wood
- hardwood of European origin
- hard wood (oil finish)
- premium hard wood

### Methods of installation:


- attached by bolts to foundation

## DESCRIPTION

A bench is one the most essential elements of public space. It invites all passers-by to take a break and rest for a while. Have you ever wondered if there is a bench that combines innovative and contemporary ideas, interesting design and functionality?

We present to you our latest project – a bench that combines all these features. The bench construction can be made of carbon steel or stainless steel. For carbon steel option you can create a perfectly tailored bench by choosing a RAL color selected from our palette. Or you can have a chic bench with natural stainless steel polish. Wooden elements are made of European softwood (spruce or pine). And for more demanding clients there is a hardwood option available (iroko or sapeli).

The bench is available in two options: with or without backrest. Armrests can be added or removed upon client's request.





## GENERAL TECHNICAL DATA

### Dimensions:

- width: 49 cm
- length: 299 cm
- height: 72 cm

### Weight:

- 120 kg

### Materials:


- wood: European coniferous or exotic
- carbon steel (s235jr) - carbon steel ASTM A36
- stainless steel (1.4301) - stainless steel AISI 304SS

ZANO



Product: Travetto Bench  
Catalog number: **02.007**  
Designer: Filip Babiarz

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.



**NOTE:** The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.

The size of the foundation depends on the local foundation conditions.



### INSTALLATION INTO PAVING WITH FOUNDATION

#### Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
7. Ground



### INSTALLATION TO PAVING

#### Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Ground



### CONCRETE / ASPHALT MOUNTING

#### Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Fixed hardened surface e.g. concrete or asphalt
4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approx. 2 - 4 cm)
7. Ground



### MOUNTING TO CONCRETE FOUNDATION

#### Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
4. Ground