

# **OPTIONS**

## **Construction:**

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

## Seat and backrest:

- soft wood
- hardwood of European origin
- hard wood (oil finish)
- premium hard wood

### Methods of installation:

• attached by bolts to foundation

# DESCRIPTION

Flash swivel lounger is our proposal for the development of squares, parks or promenades. Becouse of rotating mount we can always turn to the sun. Flash lounger is a modern type of bench from the modern line, and the popular Flash series, characterized by a large number of wooden planks, delights with its ingenuity and workmanship. It is made of stainless steel, or black and the highest quality wood: spruce, pine or on special order exotic. It is fixed to the ground by means of anchoring.



## **GENERAL TECHNICAL DATA**

## **Dimensions:**

- width: 60 cm
- length: 152 cm
- height: 87 cm

## Weight:

- 57 kg

## Materials:


- stainless steel or carbon steel
- spruce or exotic wood





Product: Swivel lounger Flash ✓ Catalog number: 02.525 Designer: Filip Babiarz

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Offcial Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Miroslaw Zarotinski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Miroslaw Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.



## MOUNTING DIAGRAMS (A, B, C, D) FOR SCREW MOUNTING

NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.

The size of the foundation depends on the local foundation conditions.









# INSTALLATION INTO PAVING WITH FOUNDATION

### Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- 3. Stone paving / concrete paving / stone slabs / concrete slabs
- 4. Sand ballast (approx. 2 4 cm)
- 5. Stone aggregate substructure
- **6.** Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- 7. Ground

# **INSTALLATION TO PAVING**

## Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- **3.** Stone paving / concrete paving / stone slabs / concrete slabs
- 4. Sand ballast (approx. 2 4 cm)
- 5. Stone aggregate substructure
- 6. Ground

# CONCRETE / ASPHALT MOUNTING

## Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- **3.** Fixed hardened surface e.g. concrete or asphalt
- Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- 5. Stone aggregate substructure
- 6. Sand ballast (approx. 2 4 cm)
- 7. Ground

# MOUNTING TO CONCRETE FOUNDATION

## Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- **3.** Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- 4. Ground