

OPTIONS

Construction:

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

Seat:


- soft wood
- hardwood of European origin
- hard wood (oil finish)
- premium hard wood


Methods of installation:

- attached by bolts to foundation

DESCRIPTION

The seat presented here is a continuation of the popular Flash collection. This bench was designed for the arrangement and management of previously unused public spaces. The innovative design of the Flash seat makes it possible to create a modular bench on components such as walls, walls or low concrete fences. The Flash bench thus makes it possible to activate unattractive and often unexploited elements of urban space, creating instead an effective place for meetings, recreation and rest. The design of the Flash seat is based on a steel structure (stainless steel optional) and a wooden seat (made of domestic or exotic wood). The assembly of the bench is carried out with the use of expansion bolts or anchors. It is also possible to concrete the entire structure. The Flash design is intended for both indoor and outdoor spaces. For outdoor use, however, it should be remembered that wood, as a natural material, is affected by changing weather conditions and therefore requires maintenance and care at least once a year. The Flash bench will be a perfect addition to any public space that...





GENERAL TECHNICAL DATA

Dimensions:

- width: 43 cm
- length: 180 cm
- height: 20 cm

Weight:

- 20 kg

Materials:

- wood: European coniferous or exotic
- stainless or carbon steel

Comments:

- The concrete pedestal is not an integral part of the Flash Seat 02.725.

ZANO



M. Welmiński

Product: Flash bench
Catalog number: **02.725**
Designer:
Mateusz Welmiński

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.



NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.

The size of the foundation depends on the local foundation conditions.



INSTALLATION INTO PAVING WITH FOUNDATION

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
7. Ground



INSTALLATION TO PAVING

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Ground



CONCRETE / ASPHALT MOUNTING

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Fixed hardened surface e.g. concrete or asphalt
4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approx. 2 - 4 cm)
7. Ground



MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
4. Ground