

## **OPTIONS**

#### **Construction:**

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

## Methods of installation:

• attached by bolts to foundation


## Container:

• galvanized steel container

## DESCRIPTION

Presented 03.062 model is a modern project suitable for both indoor and outdoor applications. It is a high quality planter, low maintenance, resistant to vandalism, strong and durable. The stainless steel shell of 03.062 litter bin has a modern yet almost classic contour, with a gently curved cover. The unpretentious impression of this bin is completed by a simple wooden door. 03.062 litter bin was designed for a variety of urban and park settings, such as parks, shopping centres or main squares. A version with a perforated steel door has a more industrial look. It can be easily installed with straightforward installation methods.





## **GENERAL TECHNICAL DATA**

#### **Dimensions:**

- width: 45 cm - height: 95 cm
- depth: 45 cm

#### Weight:

- 30 kg

### Capacity:

- capacity: 72 l

### Materials:

- insert galvanised steel
- construction stainless steel
- construction carbon steel

## ZANO



Product: Mimesis Litter Bin Catalog number: 03.062

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Offcial Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotinski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

## MOUNTING DIAGRAMS (A, B, C, D) FOR SCREW MOUNTING

NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.

The size of the foundation depends on the local foundation conditions.









# INSTALLATION INTO PAVING WITH FOUNDATION

#### Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- 3. Stone paving / concrete paving / stone slabs / concrete slabs
- 4. Sand ballast (approx. 2 4 cm)
- 5. Stone aggregate substructure
- **6.** Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- 7. Ground

## **INSTALLATION TO PAVING**

### Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- **3.** Stone paving / concrete paving / stone slabs / concrete slabs
- 4. Sand ballast (approx. 2 4 cm)
- 5. Stone aggregate substructure
- 6. Ground

## CONCRETE / ASPHALT MOUNTING

### Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- **3.** Fixed hardened surface e.g. concrete or asphalt
- Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- 5. Stone aggregate substructure
- 6. Sand ballast (approx. 2 4 cm)
- 7. Ground

## MOUNTING TO CONCRETE FOUNDATION

## Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- **3.** Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- 4. Ground