



OPTIONS

Construction:


- carbon steel (s235Jr)

Methods of installation:

- embedded in concrete

DESCRIPTION

Presented model is a multifunctional traffic sign post. It could be a main construction for: traffic signs, maps, tourist informations, street names etc. This notice board is based on steel post with decorative iron casts. It will be perfect for historical places, such as: main squares, alleys or other decorative surroundings. 08.031 notice board is durable and low maintenance. It can be coated in a colour of your choice from a full range of RAL palette standard colours.



GENERAL TECHNICAL DATA

Dimensions:

- width: 54 cm
- depth: 11 cm
- height from ground surface: 180 cm
- height with anchoring section: 216 cm


Board surface:

- 560mm x 600mm

Materials:

- carbon steel
- iron castings

ZANO



Product: City Notice Board
 Catalog number: **08.031**
 Designer: Tomasz Szpytma

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.

The size of the foundation depends on the local foundation conditions.



INSTALLATION INTO PAVING WITH FOUNDATION

Description of the assembly

1. ZANO product
2. Stone paving / concrete paving / stone slabs / concrete slabs
3. Sand ballast (approx. 2 - 4 cm)
4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
5. Ground



MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

1. ZANO product
2. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
3. Ground



MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

1. ZANO product
2. Fixed hardened surface e.g. concrete or asphalt
3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
4. Stone aggregate substructure
5. Sand ballast (approx. 2 - 4 cm)
6. Ground