OPTIONS

Construction:
- carbon steel (s235Jr)
- stainless steel (Aisi 304)

Decoration:
- soft wood
- hardwood of European origin
- hard wood (oil finish)
- premium hard wood

Methods of installation:
- free-standing
- attached by bolts to foundation

DESCRIPTION

Tulip is a high-quality planter designed in clear modern style. Stainless steel garden planters, like Tulip, are beautiful and they will be a sturdy, long-lasting products. Tulip represents a unique range of planters which combine function and form with a unique polished finish of the stainless steel. This kind of material is also durable and low- maintenance. Tulip planters are available in a full range of sizes (from XS-XL) and colours (RAL palette). Tulip planters can be used to breathe new life into any urban space.

GENERAL TECHNICAL DATA

Dimensions:
- width: 40 cm
- height: 55 cm

Weight:
- 18 kg

Materials:
- construction - carbon or stainless steel
- wood elements - exotic wood

ZANO

40

40

55

wartości podane są w centymetrach

NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.

The size of the foundation depends on the local foundation conditions.

INSTALLATION INTO PAVING WITH FOUNDATION

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
7. Ground

INSTALLATION TO PAVING

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Ground

CONCRETE / ASPHALT MOUNTING

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Fixed hardened surface e.g. concrete or asphalt
4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approx. 2 - 4 cm)
7. Ground

MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
4. Ground