TRIGONO BASKET 03.070 ZANO URBAN FURNITURE









## **OPTIONS**

## **Construction:**

- o carbon steel (s235Jr)
- stainless steel (Aisi 304)
- stainless steel (Aisi 316) 1.4401 (X5CrNiMo17-12-2)

## Housing:

concrete

## Mounting method:

to screw

### **Contribution:**


galvanized sheet insert

## **DESCRIPTION**


The Trigono basket features a **robust steel frame** adorned with concrete pieces. This classic mix of materials commands attention with its timelessness. The concrete is meticulously poured to animate under light, with delicate undercuts that soften the structure's overall heft. The **architectural concrete** used is exceptionally smooth and minimally cracked, rendering a sleek, tactile finish. This basket includes **an inner liner of galvanized steel**, which is both efficient and simple to use. The Trigono basket can also be securely anchored to the ground using steel bolts.

The signature three-dimensional concrete form was crafted by our in-house Architects and stands as the hallmark of the series. Trigono basket belongs to the concrete collection which includes a corresponding bench to form a cohesive set, though purchasing together is optional. Upon request, customization options such as different concrete colors or steel types are available.

TRIGONO BASKET 03.070 ZANO URBAN FURNITURE



wymiary podane w [cm]



# **GENERAL TECHNICAL DATA**

## **Dimensions:**

- width: 15 in - height: 32 <sup>1</sup>/₄ in

# Weight:

- 165 lb

## Capacity:

- capacity: 14 1/2 gal

## Materials:


- stainless steel profiles
- concrete panels with pattern
- galvanized sheet insert


## ZANO


In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Offcial Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright , Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotinski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.


NOTE: The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.

The size of the foundation depends on local foundation conditions.









# INSTALLATION TO PAVING WITH FOUNDATION

#### Installation description

- 1. ZANO product
- 2. Quick-attachment / quickattachment or chemical anchor
- **3.** Stone paving / concrete paving / stone slabs / concrete slabs
- **4.** Sand ballast (approximately 2 4 cm)
- 5. Stone aggregate substructure
- **6.** Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
- 7. Local land

## **MOUNTING TO PAVING**

#### Installation description

- 1. ZANO product
- Quick-attachment / quickattachment or chemical anchor
- **3.** Stone paving / concrete paving / stone slabs / concrete slabs
- **4.** Sand ballast (approximately 2 4 cm)
- 5. Stone aggregate substructure
- 6. Local land

# MOUNTING TO CONCRETE / ASPHALT

#### Installation description

- 1. ZANO product
- Quick-attachment / quickattachment or chemical anchor
- **3.** Fixed restrained surface, such as concrete or asphalt
- 4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
- 5. Stone aggregate substructure
- Sand ballast (approximately 2 4 cm)
- 7. Local land

# MOUNTING TO CONCRETE FOUNDATION

#### Installation description

- 1. ZANO product
- 2. Quick-attachment / quickattachment or chemical anchor
- 3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paying surface)
- 4. Local land