

## OPTIONS

### Construction:

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

### Mounting method:

- to screw

### Contribution:

- galvanized sheet insert

## DESCRIPTION

The Clipo 03.064 trashcan is a contemporary urban waste receptacle from the Modern collection.

It comes in two styles:- entirely crafted from **stainless steel**- constructed from **coated carbon steel, with front and rear panels of stainless steel**.

This trashcan features a detachable internal liner made of galvanized steel.

Its major highlight is its cutting-edge design. The avant-garde yet minimalist shape, characterized by sleek curves around the base and cover, evokes a distinctly futuristic look. Additionally, the included cover ensures the Clipo trashcan is optimal for both outdoor settings like modern mall or office building entryways, and indoor environments. This model stands one meter tall with a width and depth under half a meter each. It is secured using expansion bolts. The Trashcan Clipo exemplifies the small-scale architecture of tomorrow.

## GENERAL TECHNICAL DATA

**Dimensions:**

- width: 17 <sup>3</sup>/<sub>4</sub> in
- height: 39 <sup>1</sup>/<sub>4</sub> in
- depth: 11 <sup>3</sup>/<sub>4</sub> in

**Weight:**

- 134 lb

**Capacity:**

- capacity: 12 <sup>1</sup>/<sub>4</sub> gal

**Materials:**


- construction - stainless steel or carbon steel
- container - stainless steel
- insert - galvanized sheet metal

ZANO


*M. Welmiński*

Product: Trash bin Clipo  
 Catalog number: **03.064**  
 Designer:  
 Mateusz Welmiński

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.



**NOTE:** The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.

The size of the foundation depends on local foundation conditions.



### INSTALLATION TO PAVING WITH FOUNDATION

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
7. Local land



### MOUNTING TO PAVING

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Local land



### MOUNTING TO CONCRETE / ASPHALT

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Fixed restrained surface, such as concrete or asphalt
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approximately 2 - 4 cm)
7. Local land



### MOUNTING TO CONCRETE FOUNDATION

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Local land