



## OPTIONS

**Construction:**

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

**Seat and backrest:**

- European coniferous wood
- hardwood of European origin
- oiled exotic wood
- premium exotic wood



**Mounting method:**

- to screw

## DESCRIPTION

The Soft bench is a contemporary piece of street furniture that seamlessly integrates with modern urban environments. This model comes in either black or stainless steel options. The seating area of the Soft bench is crafted from local wood or, upon request, exotic wood varieties. The ergonomic design of the backrest promotes proper spinal alignment when seated. Moreover, high-quality materials like stainless steel ensure the longevity and corrosion resistance of the Soft bench. With its sleek design, this bench makes a stylish complement to trendy arcades, shopping centers, museums, or corporate buildings.





## GENERAL TECHNICAL DATA

### Dimensions:

- width: 22 <sup>3</sup>/<sub>4</sub> in
- length: 72 in
- height: 33 in

### Weight:

- European coniferous wood: 117 lb
- hardwood of European origin: 132 lb

### Materials:

- carbon steel or stainless steel
- wood

ZANO



*M. Wełmiński*

Product: Soft bench  
Catalog number: **02.012**  
Designer:  
Mateusz Wełmiński

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

**NOTE:** The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.

The size of the foundation depends on local foundation conditions.



### INSTALLATION TO PAVING WITH FOUNDATION

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
7. Local land



### MOUNTING TO PAVING

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Local land



### MOUNTING TO CONCRETE / ASPHALT

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Fixed restrained surface, such as concrete or asphalt
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approximately 2 - 4 cm)
7. Local land



### MOUNTING TO CONCRETE FOUNDATION

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Local land