



OPTIONS

Construction:

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

Mounting method:

- free-standing
- to screw

DESCRIPTION

Tulip pot 06.021.2.XL - elegance and durability in an urban space. This modern pot is a perfect piece of small architecture, fitting perfectly into urban landscapes. Standing 90 cm tall and having a side width of 100 cm, Tulip is spacious enough to accommodate larger plants and trees. The weight of the product is 77 kg, which ensures the solidity and stability of the structure. The structure can be made of two types of steel: carbon steel S235JR or stainless steel AISI 304, each of which guarantees high resistance to corrosion and mechanical damage, which is crucial for outdoor elements. The customer can choose from two mounting methods - freestanding for easy mobility or bolt-on for greater durability and safety in public areas. The aesthetics of the Tulip pot from the Modern line reflect a minimalist and elegant style that blends harmoniously with both modern and more classic architecture. Thanks to its simple yet sophisticated form, it is ideal for creating a lively decoration in urban spaces such as squares, parks or avenues. Tulip not only has a decorative function, but also a practical one, facilitating the organization of urban greenery.

GENERAL TECHNICAL DATA

Dimensions:

- height: 35 1/2 in
- flank: 39 1/4 in


Weight:

- 170 lb

Materials:

- Carbon steel (structural) or stainless steel

ZANO




wartości podane są w centymetrach

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.


The size of the foundation depends on local foundation conditions.



INSTALLATION TO PAVING WITH FOUNDATION

Installation description


1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
7. Local land



MOUNTING TO PAVING

Installation description


1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Local land



MOUNTING TO CONCRETE / ASPHALT

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Fixed restrained surface, such as concrete or asphalt
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approximately 2 - 4 cm)
7. Local land



MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Local land