FLOWERPOT TULIP 06.021.2.L ZANO URBAN FURNITURE





### **OPTIONS**

### **Construction:**

- carbon steel (s235Jr)
- o stainless steel (Aisi 304)


### Mounting method:

- free-standing
- to screw

### **DESCRIPTION**

The Tulip flower pot (SKU number: 06.021.2.L) from ZANO is a modern piece of small architecture that perfectly fits the needs of contemporary urban spaces and private gardens. This elegant flowerpot with structural simplicity and thoughtful design has a square base with a width of 100 cm and a height of 55 cm, which makes it extremely stable and functional. The powder-coated flowerpot is made from a choice of two types of steel: carbon steel S235JR or stainless steel AISI 304, which provide great durability and weather resistance. Users have the option to customize the Tulip pot to their specific needs thanks to two mounting options: freestanding or screw-on. Such solutions allow for easy installation and stability in a variety of locations, which is crucial for urban and garden furniture. The 56-kg pot guarantees the sturdiness of the structure, preventing it from tipping over even in harsh weather conditions. ZANO used a minimalist approach to form in this model, which emphasizes its universal character, blending perfectly with both modern and more traditional spaces. The Tulip flower pot is part of the Modern product line, which means its high aesthetics and advanced technological solutions. This line is known for innovating in the field of urban furniture and pots, combining functionality...

FLOWERPOT TULIP 06.021.2.L ZANO URBAN FURNITURE



## **GENERAL TECHNICAL DATA**

## **Dimensions:**

- height: 21 <sup>3</sup>/<sub>4</sub> in - flank: 39 <sup>1</sup>/<sub>4</sub> in

## Weight:

- 123 lb

### Materials:

- Carbon steel (structural) or stainless steel

### ZANO

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Offcial Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Miroslaw Zarotinski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.

The size of the foundation depends on local foundation conditions.









## INSTALLATION TO PAVING WITH FOUNDATION

#### Installation description

- 1. ZANO product
- 2. Quick-attachment / quickattachment or chemical anchor
- **3.** Stone paving / concrete paving / stone slabs / concrete slabs
- **4.** Sand ballast (approximately 2 4 cm)
- 5. Stone aggregate substructure
- **6.** Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
- 7. Local land

### **MOUNTING TO PAVING**

### Installation description

- 1. ZANO product
- Quick-attachment / quickattachment or chemical anchor
- 3. Stone paving / concrete paving / stone slabs / concrete slabs
- **4.** Sand ballast (approximately 2 4 cm)
- 5. Stone aggregate substructure
- 6. Local land

## MOUNTING TO CONCRETE / ASPHALT

### Installation description

- 1. ZANO product
- Quick-attachment / quickattachment or chemical anchor
- **3.** Fixed restrained surface, such as concrete or asphalt
- 4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
- 5. Stone aggregate substructure
- Sand ballast (approximately 2 4 cm)
- 7. Local land

# MOUNTING TO CONCRETE FOUNDATION

#### Installation description

- 1. ZANO product
- 2. Quick-attachment / quickattachment or chemical anchor
- 3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paying surface)
- 4. Local land