



OPTIONS

Construction:

- carbon steel (s235Jr)

Mounting method:

- to screw


Pergola roof:


- European coniferous wood
- hardwood of European origin
- oiled exotic wood
- premium exotic wood

DESCRIPTION

The pergola is an ornamental garden feature, constructed with a robust steel frame and horizontal slats, and offers the option to add walls with steel cables for vining plants. It's perfect for creating a shaded location for outdoor gatherings, while enhancing the visual appeal of gardens, parks, or patios. Our pergola provides shade, amplifying the usability of any outdoor area whether it's at your residence, workplace, or in urban and park settings.

This pergola's structure is crafted from bent, welded and bolted 120 x 114 mm I-beams alongside 120 x 80 mm rectangular sections made from carbon steel S235JR, all galvanized and powder coated as per the RAL color chart. The roof of the pergola is composed of 25 planks, each measuring 45 x 70 x 2740 mm, made from European coniferous wood treated and varnished twice or exotic wood, which is impregnated and oiled twice. Optionally, the pergola's side walls can be enhanced with additional boards or steel cables.





GENERAL TECHNICAL DATA

Dimensions:

- width: 118 in
- height: 95 in
- depth: 118 in

Weight:

- European coniferous wood: 1 168 lb
- oiled exotic wood: 1 301 lb

Materials:

- wood: European coniferous or exotic wood
- Carbon steel, galvanized, painted in RAL color

ZANO



Iwona Żaczek

Product: Pergola 3 x 3 m
Catalog number: **22.001.1**
Designer: Iwona Żaczek

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.

The size of the foundation depends on local foundation conditions.



INSTALLATION TO PAVING WITH FOUNDATION

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
7. Local land



MOUNTING TO PAVING

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Local land



MOUNTING TO CONCRETE / ASPHALT

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Fixed restrained surface, such as concrete or asphalt
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approximately 2 - 4 cm)
7. Local land



MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Local land