



## OPTIONS

**Construction:**

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

**Mounting method:**

- to screw

**Ashtray:**

- with an ashtray


**Contribution:**

- galvanized sheet insert

## DESCRIPTION

**Start Trash Can 03.044.1** features a steel frame with a detachable liner and an integrated ashtray. This trash can is available in two styles: entirely made of stainless steel, or with carbon steel combined with stainless steel elements like the bin itself and the ashtray. The liner of the trash can is crafted from thin galvanized sheet metal. This trash can offers a compelling price that is generally more affordable compared to other models in our lineup, due primarily to its straightforward appearance and simpler design. Despite its budget-friendly price, the trash can does not compromise on craftsmanship, attention to details, or the quality of materials, maintaining the same standard as our other trash cans.





## GENERAL TECHNICAL DATA

### Dimensions:

- width: 14 1/2 in
- height: 32 1/4 in
- depth: 11 1/2 in

### Weight:

- 66 lb

### Capacity:

- capacity: 8 gal

### Materials:

- construction - stainless steel or carbon steel
- container - stainless steel
- insert - galvanized sheet metal

ZANO



*Filip Babiarz*

Product:  
Trash bin with ashtray Start  
Catalog number: **03.044.1**  
Designer: Filip Babiarz

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

**NOTE:** The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.


The size of the foundation depends on local foundation conditions.



### INSTALLATION TO PAVING WITH FOUNDATION

#### Installation description


1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
7. Local land



### MOUNTING TO PAVING

#### Installation description


1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Local land



### MOUNTING TO CONCRETE / ASPHALT

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Fixed restrained surface, such as concrete or asphalt
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approximately 2 - 4 cm)
7. Local land



### MOUNTING TO CONCRETE FOUNDATION

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Local land