OPTIONS

Construction:
- carbon steel (s235Jr)
- stainless steel (Aisi 304)

Decorative elements:
- European coniferous wood
- hardwood of European origin
- oiled exotic wood
- premium exotic wood

### Mounting method:
- to screw

DESCRIPTION

The Soft bicycle stand is an extension of the Soft urban furniture collection, which features city benches, planters, waste bins, lampposts, and tables. This line is noted for its contemporary design and the unique, slightly sloping form of the pieces.

This stand combines steel and wood materials. It features a stylish wooden insert sandwiched between two steel plates. Options for the stand include carbon steel, galvanized and powder-coated to a customized RAL color of your choice, or crafted in stainless steel. The coniferous wood used is locally sourced and available in various varnish options. For an additional cost, there's also the choice of exotic wood.

The stand's metal components are 10 mm thick, providing a robust and stable framework. It also includes footrests with pre-drilled holes for anchoring it securely to the ground with concrete anchors.

The stand is capable of holding at least two bicycles.

ZANO
SINCE 1988

72 cm

59 cm

6 cm

19 cm

102 cm

GENERAL TECHNICAL DATA

Dimensions:
- height: 28 $\frac{1}{4}$ in
- depth: 40 $\frac{1}{4}$ in
- rack width: 2 $\frac{1}{4}$ in

Materials:
- wood
- carbon steel or stainless steel

ZANO

Product: Soft bicycle stand
Catalog number: **05.012**
Designer: Iwona Żaczek

NOTE: The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.

The size of the foundation depends on local foundation conditions.

INSTALLATION TO PAVING WITH FOUNDATION

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
7. Local land

MOUNTING TO PAVING

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Local land

MOUNTING TO CONCRETE / ASPHALT

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Fixed restrained surface, such as concrete or asphalt
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approximately 2 - 4 cm)
7. Local land

MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Local land