

OPTIONS

Construction:

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

Housing:

- European coniferous wood
- hardwood of European origin
- oiled exotic wood
- premium exotic wood
- HPL board

Mounting method:

- to screw

Contribution:

- galvanized sheet insert

DESCRIPTION

The Pavo basket represents another option within our Modern series - sleek, sophisticated, and visually appealing, crafted specifically for modern urban architecture. Pavo is a variant of the Simple model, enhanced with additional features. Its enclosed structure contributes to a substantially more solid appearance compared to the Simple model. The standout attribute of Pavo is its wooden detailing, which forms a unique cladding over the entire unit. This design allows the basket to seamlessly integrate into areas featuring wooden accents and minimalist architectural elements. Equipped with a canopy, the Pavo trash receptacle is also suitable for outdoor use, such as outside contemporary shopping centers or office complexes. Constructed from stainless steel, the Pavo basket offers durability against corrosion and the impact of ongoing exposure to the elements.





GENERAL TECHNICAL DATA

Dimensions:

- width: 15 ³/₄ in
- height: 39 ¹/₄ in
- depth: 11 ³/₄ in

Weight:

- 99 lb

Capacity:

- capacity: 13 ³/₄ gal

Materials:

- construction - steel, wood
- container - galvanized steel

ZANO



M. Welmiński


Product: Trash bin Pavo
Catalog number: **03.063**
Designer:
Mateusz Welmiński

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Miroslaw Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Miroslaw Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Miroslaw Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.



NOTE: The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.


The size of the foundation depends on local foundation conditions.



INSTALLATION TO PAVING WITH FOUNDATION

Installation description


1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
7. Local land



MOUNTING TO PAVING

Installation description


1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Local land



MOUNTING TO CONCRETE / ASPHALT

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Fixed restrained surface, such as concrete or asphalt
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approximately 2 - 4 cm)
7. Local land



MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Local land