



OPTIONS

Construction:

- carbon steel (s235Jr)

Mounting method:


- to be grouted in



Number of parking spaces:

- spaces for 3 bicycles
- space for 4 bicycles
- spaces for 5 bicycles
- space for 6 bicycles
- space for 7 bicycles

DESCRIPTION

The classic Decora bicycle rack from the Retro line seamlessly integrates into areas dominated by historic city buildings. This model can hold three to seven bicycles, depending on the configuration chosen. The entire unit is securely anchored to the ground with a concrete base. The Decora 05.050 stand is crafted using cast iron, steel tubing, round bars, and closed profiles. Available in matte black, dark graphite, or a custom color from our RAL palette, this model offers flexibility in design choices. The 05.050 stand stands out for its practicality, allowing for up to seven bikes per rack, thereby conserving space while enhancing the aesthetic of urban environments.





GENERAL TECHNICAL DATA


Dimensions:

- width: 11 $\frac{3}{4}$ in
- length: 86 $\frac{1}{2}$ in
- height from ground surface: 24 $\frac{1}{2}$ in
- height with anchor section: 55 in

Materials:

- iron castings
- steel tubes
- closed profiles
- round bars

ZANO



Product:
Bicycle rack Decora
Catalog number: **05.050**
Designer: Tomasz Szpytma

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.


The size of the foundation depends on local foundation conditions.



INSTALLATION TO PAVING WITH FOUNDATION

Installation description


1. ZANO product
2. Stone paving / concrete paving / stone slabs / concrete slabs
3. Sand ballast (approximately 2 - 4 cm)
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Local land



MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product
2. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
3. Local land



MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product
2. Fixed restrained surface, such as concrete or asphalt
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Stone aggregate substructure
5. Sand ballast (approximately 2 - 4 cm)
6. Local land