



OPTIONS

Construction:

• carbon steel (s235Jr)

Mounting method:

• to screw

Pergola roof:

- European coniferous wood
- hardwood of European origin
- oiled exotic wood
- premium exotic wood

DESCRIPTION

The 2 x 3 m pergola module serves as an extension to the primary module, facilitating the enlargement of the overall pergola structure.

Constructed from curved, welded, and bolted I-beams with a cross-section of 120 x 114 mm and rectangular profiles measuring 120 x 80 mm, the pergola uses carbon steel S235JR that is both galvanized and powder coated according to the RAL color chart. The pergola's roof is comprised of 17 planks each measuring 45 x 70 x 2740 mm. These planks are available either in European coniferous wood, which is impregnated and varnished twice, or in exotic wood, which is similarly impregnated and oiled twice. Optionally, the pergolaâ€[™]s side walls can be enhanced with additional boards or steel cables (using finishing modules).

216 cm 200 cm 5 INCE 1988 5 INCE 1988 176 cm 176 cm 176 cm

GENERAL TECHNICAL DATA

Dimensions:

- width: 78 ³/₄ in
- height: 95 in
- depth: 118 in

Materials:

- wood: European coniferous or exotic wood
- Carbon steel, galvanized, painted in RAL color




Product: Pergola module 2 x 3 m Catalog number: 22.101.3 Designer: Iwona Zaczek


ZANO


In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Offcial Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Miroslaw Zarotinski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Miroslaw Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable. NOTE: The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.

The size of the foundation depends on local foundation conditions.









INSTALLATION TO PAVING WITH FOUNDATION

Installation description

- 1. ZANO product
- 2. Quick-attachment / quickattachment or chemical anchor
- 3. Stone paving / concrete paving / stone slabs / concrete slabs
- 4. Sand ballast (approximately 2 4 cm)
- **5.** Stone aggregate substructure
- 6. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
- 7. Local land

MOUNTING TO PAVING

Installation description

- 1. ZANO product
- 2. Quick-attachment / quickattachment or chemical anchor
- 3. Stone paving / concrete paving / stone slabs / concrete slabs
- Sand ballast (approximately 2 4 cm)
- 5. Stone aggregate substructure
- 6. Local land

MOUNTING TO CONCRETE / ASPHALT

Installation description

- 1. ZANO product
- 2. Quick-attachment / quickattachment or chemical anchor
- **3.** Fixed restrained surface, such as concrete or asphalt
- Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
- 5. Stone aggregate substructure
- 6. Sand ballast (approximately 2 4 cm)
- 7. Local land

MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product

- 2. Quick-attachment / quickattachment or chemical anchor
- **3.** Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
- 4. Local land