

OPTIONS

Construction:

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

Mounting method:

- to be grouted in


Fence mounts:

- one-sided
- double-sided
- no

DESCRIPTION

The Elica post stands out with its modernist shape and straightforward design. Instead of using a uniform fill, this post is constructed from four side-by-side rectangular steel plates. The edges are smoothly rounded off. Available in either stainless steel or black steel, the post is secured into the ground through a concrete base. Elica is relatively short, measuring 85 centimeters in height and 10 centimeters in width, making it a perfect choice for a fencing post, particularly at mall entrances. Its sleek, contemporary design complements the aesthetics of modern structures. One significant benefit of the Elica 01.080 model is its affordability. As with all products in the ZANO lineup, it features high-quality craftsmanship and meticulous attention to detail.





GENERAL TECHNICAL DATA

Dimensions:

- width: 4 in
- height from ground surface: 33 1/2 in
- height with anchor section: 49 1/4 in

Materials:


- carbon steel or stainless steel

ZANO

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.


The size of the foundation depends on local foundation conditions.



INSTALLATION TO PAVING WITH FOUNDATION

Installation description


1. ZANO product
2. Stone paving / concrete paving / stone slabs / concrete slabs
3. Sand ballast (approximately 2 - 4 cm)
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Local land



MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product
2. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
3. Local land



MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product
2. Fixed restrained surface, such as concrete or asphalt
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Stone aggregate substructure
5. Sand ballast (approximately 2 - 4 cm)
6. Local land