



OPTIONS

Construction:

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

Seat:

- European coniferous wood
- hardwood of European origin
- oiled exotic wood
- premium exotic wood
- carbon steel (s235Jr)
- stainless steel (Aisi 304)
- HPL board

Mounting method:

- to screw


DESCRIPTION

The **Scandik Collection** has been crafted for modular construction, featuring elements like benches, planters, seats, trash cans, and a solar charging station.

The **Scandik 02.146 seat** is the fundamental element of this collection. It can be paired seamlessly with nearly any other item in the line. It measures one-third the length of any Scandik bench, making it primarily suited for use at the solar charging stations as an additional seating option. The table at these stations is broad enough to accommodate the 02.146 seat alongside space for a wheelchair.

The **build of the seat** consists of **steel**. Options include stainless steel or carbon steel, which can be galvanized and painted in a client-specified RAL color. The seating surface is typically wooden, but upon request, it can be crafted from **any type** of either domestic or exotic wood. As alternatives, the seating in the Scandik line can also be made with HPL laminate, or...





GENERAL TECHNICAL DATA

Dimensions:

- width: 20 1/4 in
- height: 17 1/4 in
- depth: 20 1/4 in

Materials:

- steel: carbon or stainless
- domestic coniferous or exotic wood (iroko, sapeli, meranti, tauari)
- HPL

ZANO



Iwona Żaczek

Product: Seat Scandik
 Catalog number: **02.146**
 Designer: Iwona Żaczek

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.


The size of the foundation depends on local foundation conditions.



INSTALLATION TO PAVING WITH FOUNDATION

Installation description


1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
7. Local land



MOUNTING TO PAVING

Installation description


1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Local land



MOUNTING TO CONCRETE / ASPHALT

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Fixed restrained surface, such as concrete or asphalt
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approximately 2 - 4 cm)
7. Local land



MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Local land