




OPTIONS

Construction:

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

Seat:

- European coniferous wood
- hardwood of European origin
- oiled exotic wood
- premium exotic wood



Mounting method:

- to screw

DESCRIPTION

The Orbit 02.450.2 bench is the latest addition to our catalog. Its standout feature is its modular design, which lets you mix and match its components into various configurations, adding a contemporary flair to any setting they're part of.

The bench is crafted from wood and steel - customers have the choice of what type of wood (either domestic or exotic, like sapeli or iroko) and which kind of steel (either premium **stainless steel** or **black steel** that can be painted in any RAL color) will be used in their custom piece. The bench's unique shape and design not only enhance its aesthetic appeal but its practical functionality as well. The complete assembly includes two sections - the right one, illustrated in the picture, and [the left one identified as 02.450.1](#). These components can be arranged to form full circles, half-circles, or even as stand-alone units that can be aligned flush against walls or tucked into corners. The Orbit 02.450.2 works seamlessly in both expansive outdoor areas and chic indoor environments. **It is designed to be free-standing, or it can be securely mounted to...**



GENERAL TECHNICAL DATA

Dimensions:

- width: 35 1/2 in
- length: 35 1/2 in
- height: 16 1/2 in

Materials:

- carbon steel or stainless steel
- wood

ZANO




Filip Babiarz

Product: Bench Orbit
Catalog number: **02.450.2**
Designer: Filip Babiarz

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.


The size of the foundation depends on local foundation conditions.



INSTALLATION TO PAVING WITH FOUNDATION

Installation description


1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
7. Local land



MOUNTING TO PAVING

Installation description


1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Local land



MOUNTING TO CONCRETE / ASPHALT

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Fixed restrained surface, such as concrete or asphalt
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approximately 2 - 4 cm)
7. Local land



MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Local land