



## OPTIONS

### Construction:

- carbon steel (s235Jr)
- stainless steel (Aisi 304)

### Mounting method:

- to screw

## DESCRIPTION


**Contemporary, long-lasting** message boards featuring sleek curves. Available in four standard print/etch sizes: A4, B2, and B1.

These boards come in **four sizes** ranging from S to XL. The S and M sizes are perfect for displaying brief, clear messages and can be used as wayfinding signs. The L and XL sizes are better suited for more detailed information, such as maps showcasing tourist paths, cityscapes, airports, and train stations.

**Constructed from steel**, these boards boast durability and resistance to weather, ensuring a long lifespan. Customers can choose between stainless steel or carbon steel that's galvanized and finished with a powder coating in a RAL color of their choice.

The boards are securely mounted into concrete bases using anchor screws.





## GENERAL TECHNICAL DATA

### Dimensions:

- width: 22 in
- height: 72 <sup>3</sup>/<sub>4</sub> in
- depth: 7 <sup>3</sup>/<sub>4</sub> in

### Weight:

- 108 lb

### Board surface:

- 560 mm x 750 mm

### Materials:

- Stainless steel
- Carbon steel, galvanized, painted in RAL color

### Comments:

- Preferred graphic area: 500mm x 700mm (B2)

ZANO


*Iwona Żaczek*

Product:  
Scandik Information Board  
Catalog number: **08.046.L**  
Designer: Iwona Żaczek

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

**NOTE:** The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.

The size of the foundation depends on local foundation conditions.



### INSTALLATION TO PAVING WITH FOUNDATION

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
7. Local land



### MOUNTING TO PAVING

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approximately 2 - 4 cm)
5. Stone aggregate substructure
6. Local land



### MOUNTING TO CONCRETE / ASPHALT

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Fixed restrained surface, such as concrete or asphalt
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approximately 2 - 4 cm)
7. Local land



### MOUNTING TO CONCRETE FOUNDATION

#### Installation description

1. ZANO product
2. Quick-attachment / quick-attachment or chemical anchor
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Local land