

OPTIONS

Construction:

- stainless steel (Aisi 304)

Mounting method:


- to be grouted in

Number of parking spaces:

- spaces for 3 bicycles
- space for 4 bicycles
- spaces for 5 bicycles
- space for 6 bicycles
- space for 7 bicycles

DESCRIPTION

Bicycle stand 05.052.SN is an excellent solution in the category of **urban furniture**, designed by Tomasz Szpyma, combining functionality, durability and modern design. The stand is made of high quality stainless steel (Aisi 304), which ensures resistance to corrosion and increases the durability of the product. It is ideal for public spaces such as parks, streets or commercial areas, offering a safe place to park bicycles. The bicycle stand is designed to be **grouted** in, which guarantees a solid and stable installation. The design offers different configurations of parking spaces, from 3 to 7 bicycles, making it flexible and adaptable to specific user needs. The width of the rack is 42 cm, the length is 200 cm, and the height from the ground surface is 80 cm, which ensures easy access and comfortable use. The whole design is very aesthetically pleasing, which confirms that the stand belongs to the **Modern** product line. The steel tubes and closed profiles used in the construction are not only practical, but also add to the overall modern and minimalist look. This durable and...



GENERAL TECHNICAL DATA


Dimensions:

- width: 16 1/2 in
- length: 78 3/4 in
- height from ground surface: 31 1/2 in
- height with anchor section: 55 in

Materials:

- steel tubes
- closed profiles

ZANO



Product: Bicycle rack Forte
 Catalog number:
05.052.SN
 Designer: Tomasz Szpytma

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. These are only sample installation diagrams taking into account the type of anchoring and the material of the substrate to which to attach the furniture.

The size of the foundation depends on local foundation conditions.



INSTALLATION TO PAVING WITH FOUNDATION

Installation description

1. ZANO product
2. Stone paving / concrete paving / stone slabs / concrete slabs
3. Sand ballast (approximately 2 - 4 cm)
4. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
5. Local land



MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product
2. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
3. Local land



MOUNTING TO CONCRETE FOUNDATION

Installation description

1. ZANO product
2. Fixed restrained surface, such as concrete or asphalt
3. Concrete foundation of C16/20 class (top surface of concrete 10 cm below paving surface)
4. Stone aggregate substructure
5. Sand ballast (approximately 2 - 4 cm)
6. Local land